

***Product overview Gratch International:***

- **GRATCH Anti-Graffiti** removal, protection & Tornado
- **GLASSRENU** scratch removal systems
- **RENOVIO** renovation products
- **MIGHTY BRIGHTY** projection screen paint



**GRATCH**<sup>®</sup>  
INTERNATIONAL

P.O. Box 7034 - 5980 AA Panningen - The Netherlands  
Tel.: +31 77 - 465 10 95 Fax: +31 77 - 465 10 96 E-mail: [info@gratch.com](mailto:info@gratch.com)

**WWW.GRATCH.COM**



# SOFT REMOVER



# WORK INSTRUCTION

*version 2012.1*

## ***Product description***

Graffiti remover applicable on nearly every sensitive surface. Biodegradable. Suitable for traffic signs, stucco, perspex, aluminium, tin etc. Removes graffiti without damaging the surface.

## ***Technical properties***

|                  |  |
|------------------|--|
| Colour           | colorless  |
| Specific gravity | 1,00   |
| PH-value         | 7-8  |
| Usage            | depending on kind of surface; 2 - 10 m <sup>2</sup> /l |

## ***Application***

Do not dilute Gratch Soft Remover. Product is ready to use.

Spray the polluted surface with Gratch. Leave it to work 1 to 5 minutes (depending on kind of surface). Smooth surfaces can easily be cleaned with a sponge (pad) and hot water, rough surfaces with high pressure. Traffic signs can be cleaned with GRATCH Soft Remover and a cloth.

If necessary please repeat the cleaning-procedure.

Treat a maximum of 1 m<sup>2</sup> at one time.

Always test a small area before you start



### ***Storage and shelf life***

In original, closed packing 24 months, provided that it's stored frost-proof.

### ***Cleaning materials***

After use rinse the materials with plenty water.

### ***Safety regulations***

The ruling precautions for handling chemicals must be observed. Wear suitable protective clothing, gloves and use inhalation protection if there is not enough ventilation. Avoid contact with eyes and skin. In case of accidental contact with the eyes, immediately flush with plenty of water. Get medical attention. In case of exposure to skin, wash with water and soap. In case of swallowing, immediately rinse out mouth, do NOT induce vomiting, drink two glasses of water and get medical attention. The effectiveness of this system is based upon years of practical experience and laboratory research. The manufacturer / supplier guarantees that the quality of the work meets the characteristics that were promised by the manufacturer / supplier, if the provided instructions are adhered to and the work has been executed according to the requirements of skilled workmanship. The manufacturer / supplier is not liable if the final result is affected in a negative way by factors that are uncontrollable. The buyer must check with the regular means available to him if the supplied products are suitable for the intended application.