Printing date 02.10.2015

Revision: 02.10.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Alu & Ano Quick Protector RV11

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Metal surface treatment

 \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Renovio P.O. Box 7034 5980 AA Panningen Tel: +31 77 465 1095 Fax: +31 77 465 1096 Email: info@renovio.com

• Further information obtainable from: Product safety department.


• 1.4 Emergency telephone number: +31 77 465 1095

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS02 flame



GHS08 health hazard

Carc. 1BH350 May cause cancer.Asp. Tox. 1H304 May be fatal if swallowed and enters airways.

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2H315 Causes skin irritation.STOT SE 3H336 May cause drowsiness or dizziness.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008* The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling:* Naphtha (petroleum), hydrotreated light

(Contd. on page 2)

GB

Printing date 02.10.2015

Revision: 02.10.2015

Trade name: Alu & Ano Quick Protector RV11

	(Contd. of page 1)
Distillates (petr	oleum), hydrotreated heavy paraffinic
Hazard stateme	ents
H225 Highly flo	ammable liquid and vapour.
H315 Causes sh	kin irritation.
H350 May caus	e cancer.
	e drowsiness or dizziness.
H304 May be fo	atal if swallowed and enters airways.
H411 Toxic to a	iquatic life with long lasting effects.
Precautionary :	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazar	rds
Results of PBT	and vPvB assessment

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-49-0	Naphtha (petroleum), hydrotreated light	75-100%
EINECS: 265-151-9	🚸 Flam. Liq. 2, H225	
Index number: 649-328-00-1	🚯 Asp. Tox. 1, H304	
	Aquatic Chronic 2, H411	
	🚯 Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	10-<25%
EINECS: 265-157-1	🚸 Carc. 1B, H350	
Index number: 649-467-00-8		

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 02.10.2015

Revision: 02.10.2015

(Contd. of page 2)

Trade name: Alu & Ano Quick Protector RV11

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

<u>SECTION 5:</u> Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars.
- Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB

according to 1907/2006/EC, Article 31 Printing date 02.10.2015 Revision: 02.10.2015 Trade name: Alu & Ano Quick Protector RV11 (Contd. of page 3) · 8.1 Control parameters • Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. CAS No. Designation of material % Type Value Unit The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: *Tightly sealed goggles* Goggles recommended during refilling • **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C	
		(Contd. on page 5)

Printing date 02.10.2015

Revision: 02.10.2015

Trade name: Alu & Ano Quick Protector RV11

	(Contd. of page
Flash point:	1 °C (DIN 53213)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	> 200 °C
Decomposition temperature:	Not determined.
· Self-igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	6.8 Vol %
· Vapour pressure At 20 °C:	27 hPa
Density At 20 °C:	0.8 g/cm ³ (DIN 51757)
Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	t er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	85.0 %
Solids content:	15.0 % (DIN 53216)
9.2 Other information	No further relevant information available.
· VOC (EU):	85.00 %
• VOC (EU):	680.0 g/l

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 02.10.2015

Revision: 02.10.2015

(Contd. of page 5)

Trade name: Alu & Ano Quick Protector RV11

- Carcinogenicity May cause cancer.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause drowsiness or dizziness. • **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- · Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:
- Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1139
14.2 UN proper shipping name	
ADR	1139 COATING SOLUTION, ENVIRONMENTAL
	HAZARDOUS, special provision 640E
· IMDG, IATA	COATING SOLUTION
· 14.3 Transport hazard class(es)	
$\cdot ADR$	
· Class	3 Flammable liquids.

Printing date 02.10.2015

Revision: 02.10.2015

Trade name: Alu & Ano Quick Protector RV11

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDĞ, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 1000 ml 3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
(<u>-</u> 2)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1139 COATING SOLUTION, SPECIAL PROVISIO
-	640E, 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008

- The substance is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling:* Naphtha (petroleum), hydrotreated light Distillates (petroleum), hydrotreated heavy paraffinic

(Contd. on page 8)

⁻ GB

Printing date 02.10.2015

Revision: 02.10.2015

Trade name: Alu & Ano Quick Protector RV11

TT T L L	(Contd. of page 7)			
• Hazard stateme				
0.0	ammable liquid and vapour.			
	H315 Causes skin irritation.			
H350 May caus				
	e drowsiness or dizziness.			
	atal if swallowed and enters airways.			
	equatic life with long lasting effects.			
• Precautionary	statements			
P101	If medical advice is needed, have product container or label at hand.			
P102	Keep out of reach of children.			
P103	Read label before use.			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
P241	Use explosion-proof electrical/ventilating/lighting/equipment.			
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.			
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.			
P405	Store locked up.			
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.			
· Directive 2012/				
Named danger Seveso category	ous substances - ANNEX I None of the ingredients is listed.			
	, to the Aquatic Environment			
P5c FLAMMAE				
\cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t				
	$\tilde{\mathbf{Q}}$ ualifying quantity (tonnes) for the application of upper-tier requirements 500 t			
· National regula				
1 anonai regua				

· Technical instructions (air):

Class	Share in %
NK	85.0

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H350 May cause cancer.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing MSDS: Product safety department.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

GB

Printing date 02.10.2015

Revision: 02.10.2015

Trade name: Alu & Ano Quick Protector RV11

	(Contd. of page 8)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids, Hazard Category 2	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Carc. 1B: Carcinogenicity, Hazard Category 1B	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	
Asp. Tox. 1: Aspiration hazard, Hazard Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2	
• * Data compared to the previous version altered.	
	GB