

WORK INSTRUCTION: *Glass Renovator 2-in-1* **RV-04**

Revision: 2010.1

Product description

Cleans, renovates and temporarily protects glass in one treatment.

Removes scale, cement residue, rust, heavy contamination, impregnate, decolouration, etc. Also for spot repair. pH-neutral, water-based and ready to use.

Advantages

Why is Glass Renovator better than other glass cleaners:

1. Cleans, renovates and protects in one treatment.
2. Environment-friendly; water-based; no poisonous fumes; pH-neutral.
3. Not flammable; ecoSafe.
4. Easy and fast to apply.
5. Rinsing or neutralising is not required.
6. Simple application in case of spot repair.
7. Water use not necessary.
8. Non-aggressive; other facade materials remain undamaged.

Technical properties

Colour	grey
Specific gravity	1,05
PH-value	7,5
Usage	40 m ² / ltr.

Applicable surfaces

All types of glass (not on etched or sandblasted side).

Also for e.g. reflective glass with a coating on position 1.

Reaction system

Cleaning is activated based on manual or mechanical processing.

Processing temperature

Between 5°C and 35°C.



Pre-treatment

Surface must be free of dust and sand.

Advice: first test a small area to see if the result meets the expectations.

Instructions for use

Shake well before use. Apply undiluted with a soft cloth or a soft nylon pad.

Manually spread the product until stains have disappeared completely.

After this cleaning and renovation the regular glass wash frequency can be resumed.

Use only in well-ventilated areas.

Packaging

1000 ml. bottles.

Storage and shelf life

Shelf life is unopened minimal 12 months.

Store frostfree in a dry and cool place.

Keep container tightly closed.

Processing thickness

<i>Usage</i>	<i>Thickness</i>	<i>Surface</i>
40 m2 / ltr.	0,010 mm	Total average

Quality and safety regulations

Read safety instructions before use (MSDS). Keep out of reach of children.

The effectiveness of this system is based upon years of practical experience and laboratory research. The manufacturer / supplier guarantees that the quality of the work meets the characteristics that were promised by the manufacturer / supplier, if the provided instructions are adhered to and the work has been executed according to the requirements of skilled workmanship. The manufacturer / supplier is not liable if the final result is affected in a negative way by factors that are uncontrollable. The buyer must check with the regular means available to him if the supplied products are suitable for the intended application.